



BADGER EV Boulton House 13-21 Chorlton Street Manchester M1 3HY United Kingdom

⊠ hello@badgr-ev.com ⊕ www.badger-ev.com

Lansing House 41-47 Queen's Road Central Hong Kong

Head Office

VERSION: 20240906-01

WWW.BADGER-EV.COM

CONTENTS

_

1. Safety Information – Important safety instructions

2. Product Introduction

2.1. Product Appearance2.2. Parameter table2.3. Product Features

2.4. Protection Functions

3. Installation Instructions

3.1. Installation Considerations
3.2. SIM Card Installation
3.3. Minimum Installation Requirements
3.4. Installation Position
3.5. Power Supply
3.6. Accessories List
3.7. Installation Step

4. Operating instructions

4.1. Button Usage4.2. Buzzer4.3. LED Lights Display

5. Warranty -

6. Manufacturer self-declaration



LEADING THE CHARGE

| 0 |
|----|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| 12 |
| |
| |
| |

1. Safety Information

Important safety instructions: this document contains important instructions and warnings that must be followed when installing and maintaining the EV Charger.

A Warning

- & Read this entire mandatory document before installing or using the EV charger.
- & This device should be supervised when used around children.
- & The BCPCV series EV Charger must be grounded through a permanent wiring system or an equipment grounding conductor.
- & Do not install or use the EV Charger near flammable, explosive, harsh, or combustible materials, chemicals, or vapors.
- & Use the EV Charger only within the specified operating parameters.
- & Never spray water or any other liquid directly at the EV Charger. Never spray any liquid onto the charger handle or submerge the charger handle in liquid. Store the charger handle above the ground to prevent unnecessary exposure to contamination or moisture.
- & Stop using and do not use the EV Charger if it is defective, appears cracked, frayed, broken, or otherwise damaged, or fails to operate, or continue operation.
- & Do not attempt to disassemble, repair, tamper with, or modify the EV Charger. The EV Charger is not user serviceable, contact us for any repairs or modification.
- & Please take care while transporting the EV Charger. Do not subject it to strong force or impact or pull, twist, tangle, drag, or step on the EV Charger, to prevent damage to it or any components.
- & Do not touch the EV Charger's end terminals with sharp metallic objects, such as wire, tools, or needles.
- & Do not forcefully fold or apply pressure to any part of the EV Charger or damage it with sharp objects.
- & Do not insert foreign objects into any part of the EV Charger.
- **6** Use of the EV Charger may affect or impair the operation of any medical or implantable electronic devices, such as an implantable cardiac pacemaker or an implantable cardioverter defibrillator. Check with your electronic device manufacturer concerning the effects that charging may have on such electronic devices before using the EV Charger.

Cautions

- **6** Do not use private power generators as a power source for charging.
- 6 Incorrect installation and testing of the EV Charger could potentially damage either the vehicle's Battery and/or the EV Charger itself. Any resulting damage is excluded from New Vehicle Limited Warranty and the EV Charger Limited Warranty.
- **6** Do not operate the EV Charger in temperatures outside its operating range of -30° C to +55° C.
- 6 The cord extension sets are not allowed to be used.

Notes

- 6 Ensure that the EV Charger's charging cable is positioned so it will not be stepped on, driven over, tripped on, or subjected to damage or stress.
- **6** Do not use cleaning solvents to clean any of the EV Charger's components. The outside of the EV Charger, the charging cable, and the connector end of the charging cable should be periodically wiped with a clean dry cloth to remove accumulation of dirt and dust.

6 Be careful when removing the power supply, do not damage the circuit board.

www.badger-ev.com


| | Credues |
|-------|---------|
| 3 ——— | 0 |
| 5 | 0 |
| | |
| 7 | |
| | φ- |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

2. Product Introduction

2.1.Product Appearance

| 1 | Logo |
|---|--|
| 2 | LED light |
| 3 | LCD Screen |
| 4 | Emergency Button Switch (When the button is pressed, the then rotate the button pop-up reset.) |
| 5 | Function test button(For WPS connection, and leakage test.) |
| 6 | Type 2 socket |
| 7 | RFID |
| 8 | LED light |

User and Installation Manual



e EV Charger will stop,

PAGE01/02

2.2. Parameter table


| Model | BPE-LFE-22 | BPE-LFE-22 | | |
|------------------------------|---|---------------------------------------|--|--|
| | | | | |
| Maximum Power | 2*22kW | 2*22kW | | |
| Input Voltage/Output voltage | AC400 3-PHASE | AC400 3-PHASE | | |
| Input Frequency | 50/6 | 50Hz | | |
| Tethered/Socket | Socket | Tethered | | |
| Meter | Built-in Electric Meter | | | |
| Display | Five-inch LCD Scr | een + LED Lights | | |
| Frequency | 50/0 | 60Hz | | |
| Rate Charging Current | 2*(6-32A) | | | |
| Standby Power Consumption | 4G: <bw td="" wi-fi:<6w<=""></bw> | | | |
| Operating Temperature | -30°C- | 55°C | | |
| Storage temperature | -40°C- | -85°C | | |
| Operating Humidity | 5%-9 | 5% | | |
| IP Protection | IP | 54 | | |
| Safety Protection | Leakage Protection, Over Current Protection, Ground Protection, Over Voltage Protection, Under Voltage Protection, Contactor Adhesion Protection, Neutral and Live Wire Reverse Connection Protection, Over Temperature Protection, CP Signal Abnormal Protection, Lightning Protection | | | |
| Operating Altitude | <2000M | | | |
| Charger Dimension | Height:1422mm Width | Height:1422mm Width:350mm Depth:220mm | | |
| Gross weight | 43KG, | /47KG | | |
| Leakage Detection | TYPE A+DC6mA leal | kage sensor built-in | | |

2.3. Product Features

- Cover opened detection: if the cover is opened, the Charger will alarm in red light and stop the work.
- LCD Screen: The data of the Charger can be seen more directly and clear.
- Built-in MID meter: to monitor the voltage and current more precisely, to measure the degree.
- Human Induction: when the person is close to the Charger, the LCD screen will light up, this can reduce the consumption and longer the service life.
- Double socket: reduce the cost, which can charge for 2 cars at the meantime.
- APP: Control the Charger remotely, and can view the historic electricity consumption.
- Various protection function: to protect efficiently the device and personal safety.
- IP54: high degree of water-proof, to protect the device well.
- Leakage Protection: built-in TYPE A+ DC6mA leakage sensor.
- Temperature Monitoring: monitor the operating temperature anytime, once detecting the over temperature, the Charger stop the work immediately.
- WPS wifi connection: to achieve fast wifi connection.
- Backup power: If the power is cut-off by accident while charging, the backup power could unlock the charging cable of the Charger.

2.4. **Protection Functions**

With full protection to avoid all kinds of charging safety hazards, it will automatic power off after the vehicle is fully charged, to protect the car battery and prolong the working life.



3. Installation Instructions

A Warning

- & Normally, the earth wire should be properly connected, otherwise the EV charger will not work.
- 🔆 For situation where there is no earth connection, in order to enable the EV Charger to operate, it can be set via APP to turn off the earth detection and it will work, but it will reduce to the leakage protection safety level.
- 🔆 EV charger must be grounded via a permanent electrical system or equipment grounding conductor.
- & Before installing an AC EV charger, please confirm the type of grid connection available. If you are unsure of the type of connection available on the service panel, please consult an electrician.
- & Note:Please consult your local electrician or refer to your local code in order to choose the proper wire for the AC EV charger current.

3.1. Installation Considerations

- Note: Throughout the manual, ""conduit"" is used as the standard term for the protective tubing that houses the service wiring. In regions where conduit is not used (Europe for example), a cable comprised of service wiring enclosed in a protective jacket may be substituted for conduit if allowed by local regulations.
- Here are some additional guidelines
- · Conduit needs to be metal and flame retardant.
- Use an appropriate circuit breaker.
- The EV charger doesn"t come with the battery for safety shipping, we advise the users to buy the CR1220 battery or same size battery if need the history record function.

3.2. SIM Card Installation

• Note: If you need to use 4G mode, please install a Micro SIM card.

3.3. Minimum Installation Requirements

Installation of the charger requires that you:

- Calculate the existing electrical load to determine the maximum operating current.
- Calculate the distance to ensure minimal voltage drop.
- Obtain any necessary permits from the local authority that has jurisdiction and confirm that the follow-up inspection has been scheduled by an electrician after the installation is complete.
- Use only copper conductors.
- Use copper wire that meets the specifications of local wiring regulations. The selected cable must be capable of withstanding continuous loads of up to 40A at all times. The selected circuit protection device must incorporate an appropriate residual current device (RCD) and corresponding electrical load over current protection.

3.,. Installation Position

- Ensure that the parking position is within range of the charging cable.
- There is enough clearance for the charging cable to wrap around and the charging handle can be comfortably positioned on the side of base.
- If installed in an enclosed garage, choose to install on the side of the EV charger slot.
- For outdoor installations, waterproof protection is recommended but not mandatory.
- Install in a well-ventilated space. Avoid installation in enclosed boxes or close to high power appliances.

3.5. Power Supply


230V single-phase power supply

 For 3-phase EV charger, connect the single phase wire IL1), the neutral wire and the earth wire do not connect the other phase wires (L2 or L3). The phase voltage between the line and neutral wires should be 230V.

400V three-phase power supply with neutral line

• If three phases are applied, all three phases IL1, L2 and L3) and the neutral line should be connected to each other and the voltage of each phase to the neutral line should be 230V.

3.6. Accessories List



Note: Card type supported by RFID: RF card 15014443 Type A, MIFARE® ONE (MF1I card, with the read-write frequency of 13.56MHz±7K.










3.7. Installation Step



Step 1


Before the installation of EV charger, dig a pit (D x L x W: 400 mm x 500 mm x 400 mm) on the ground, and embed PVC conduit (III30mm) as shown in Fig.1 (or install it on the ground).

Step 2

Prepare the concrete and cast it in the excavated pit. After the cement hardens, install EV charger.


Step3

Thread a set of 6 mm² copper core cables into the embedded conduit, of which 0.7 m of one end for EV charger passing through the ground is reserved for accessing EV charger, and the other end is connected to the distribution box with the reserved length depending on the wiring distance and actual situation of the distribution box.



Step4

Draw the fixing hole positions of the post on the cement base according to Fig.1, drill 4 holes with a 14-mm impact drill (hole depth: 45 mm), and then fit M10 expansion screws into the holes (nut, spring washer and flat washer shall be screwed out first) as shown in Fig.2.



Step5

Fig.3.

Step6

Open the door panel on the back of EV charger and connect the cable to the corresponding terminal as shown in Fig.4 (torque: 1.8 N-M-2.2 N-M).

Note:

Do not remove the EV Charger by yourself in any situation, it may damage the precision parts inside, and which will make you can not enjoy after sale service.

Thread the reserved cable through the middle of EV charger, loosen the two screws on the side of the bottom cover of EV charger, finally install EV charger with four expansion screws, fix it with a movable wrench or M10 socket tool, and finally lock the bottom cover of EV charger as shown in

Do not do wiring without guiding of professional person.

Do not make installation without reading the installation manual.

4 Operating instructions

4.1. Button Usage

Function test button

| short press | light up the LCD screen Choose which charging gun to use. [When the screen is on) |
|--|--|
| Press the emergency stop reset button, and then press the function test button. | leakage test |
| hold down | WPS paring [need to be without network, and under the WPS mode) |

Note: The charging gun cannot be inserted into the car during the leakage test.

Emergency Button Switch

| press | emergency stop |
|------------------|----------------|
| press and rotate | reset |

- Press the emergency button and hold down the reset button for 20 seconds, to restore factory setting.
- Hold down the reset button for 5 seconds, to restore default password.
- Hold down the reset button to power up the Charger, to be in firmware update mode by Z-BOX.
- Hold down the emergency button to power up the Charger, to be in WEB configuration mode.


4.2. Buzzer

| Enter into WEB configuration mode successfully | Long buzzing once |
|--|-----------------------|
| WEB configured successfully | Long buzzing once |
| WEB configured failed | Long buzzing twice |
| RFID card/remote authentication failed | Short buzzing 5 times |
| RFID card/remote authentication start | Short buzzing once |
| RFID card/remote authentication stop | Short buzzing twice |
| Start the leakage test | Long buzzing once |
| Restore the password successfully | Long buzzing once |
| Restore the factory setting | Long buzzing once |

4.3. LED Lights Display

| | | Normal Status | | |
|--------------|--|--|--|--|
| LED Behavior | LED Status | Status Description | Potential Cause | Solution |
| | Lights OFF | No power supply | No power | Check the power source |
| -900 | All lights ON, Yellow and Green lights are blinking till green lights in the breathing state. | Charger Power ON self test | | |
| | The first green light fast blinking ION for 0.25 seconds, OFF for 0.25 seconds) | Enter WPS configuration | In WPS configuration status | Recheck the configuration |
| | The first green light slow blinking ION for 1 second, OFF for 1 second) | Network is not connected | WIFI connection failure or wrong password | 1.5G or WPA 2_Enterprise is not available for charger 2. Ensure password is correct 3. Restart the APP |
| | All green light breathing | Standby | | |
| | The 1-5 green lig his slow blinking ION for 1 second, OFF for 1 second) | The charger is reserved | | |
| | The 1-5 green lights ON, brightness decreases from top to bottom | Charger authorized, waiting for the Charging Connector plug in | | |

| Normal Status | | | | |
|---------------|---|---|---------------------------|-----------------------|
| LED Behavior | LED Status | Status Description | Potential Cause | Solution |
| J∲¢I | Green lights up and down | The Charging Connector is plugged in, waiting for RFID card authentication | | |
| : | Green lights end in the middle | Waiting for the car start to charge | | |
| ; | Green lights extend from the middle to the ends | Charging | | |
| ¢ | All green lights ON | Charging finished | | |
| •• 36 •••• | No. 1 and No. 2 green lights flash alternately | Waiting for updating the firmware | | |
| j QP | No. 1-5 green lights are moving and flashing | In updating the firmware | | |
| *** | Yellow lights flashing | Charger is remotely disabled or not registered | Charger is not configured | Configure the charger |



| atus | | | |
|------|---|---|--|
| ion | Potential Cause | Solution | |
| | Contactor adhesion or tripping | Check whether the vehicle charging module is normal | |
| | Emergency stop button is pressed | Rotate the emergency stop button Pop-up reset | |
| | The ground wire is not wired or the neutral wire is reversed | Check whether the grid connection and charger wiring is correct | |
| | Power supply has short circuit or unstable | 1.Check the power supply 2.Check the wire of power supply | |
| | Power supply voltage is insufficient | 1.Check the power supply 2.Check the wire of power supply | |
| | Leakage happens | 1.Reset with emergency stop button 2.Check the charger connector or vehicle for leakage | |
| | Short circuit may happen | Call for professional repair | |
| | High temperature | 1.Wait for charger cooling 2.Ensure the wiring of charger terminal is not loosing | |

| | | Fault Status | | |
|-------------------------|---|--|--|--|
| LED Behavior | LCD Screen/LED Light | Status Description | Potential Cause | Solution |
| ¢ | | Abnormal CP signal | The connection between the charger and the vehicle is loose | 1.Check if the connector is with water leakage in 2.Ensure the connector is matched with EV |
| • | | Abnormal CC signal | The connection between the charger and the vehicle is loose | Check whether the charger connector is firmly inserted |
| • | | Open fault | The cover is opened or not fastened | Check if the cover is opened and fasten the cover |
| * * * • • • | Yellow light ON triple | LED board is offline | LED board is fault or loosing | Open the charger cover and check whether the light board cable is connected correctly and firmly |
| ••• | Yellow light flash 4 times | RFID off-line | | |
| ¢ | All red lights ON | Meter off-line | | |
| () ₁ | RED light flash 4 times | The car is over temperature, stop charging | | |
| ~ ~ 000 | Yellow lights light up for 5 seconds | Firmware update failed | | |

5. Warranty

In order to ensure the normal service life of charging piles and reduce the risks in use, maintenance must be done within the specified time by professionals with accredited safety maintenance tools.

- Three-year free warranty is provided for any damage or malfunction caused by quality problems from the date of production of the charger.
- Damage caused by operation failure, natural force majeure, incorrect installation or instructions for use is not covered.
- Repair can only be performed by professionals. If any problem occurs during installation or use, contact your dealer first.

6. Manufacturer self-declaration

1. In order to improve the stability of the charger, BADGER EV will provide software updates for at least three years from the date of manufacture of the charger.

2. The charger will not collect and save users' sensitive personal data, such as payment information, timestamped location data, audio input stream or biometric data.

3. The manufacturer will not collect telemetry data of the charger through remote service.